
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| sources | | | | | | |
|---|--------|-------------------------------|--|--------------|--|--|
| Supplier's name or trade mark: Tom Dixon | | | | | | |
| Supplier's address: Customer Services TD, 1 Bagley Walk, N1C 4PQ LONDON, UK | | | | | | |
| Model identifier: LEDPB06 | | | | | | |
| Type of light source: | | | | | | |
| Lighting technology used: | | LED | Non-directional or directional: | DLS | | |
| Light source cap-type | | N/A | | | | |
| (or other electric interface) | | | | | | |
| Mains or non-mains: | | NMLS | Connected light source (CLS): | No | | |
| Colour-tuneable light source: | | No | Envelope: | - | | |
| High luminance light source: | | No | | | | |
| Anti-glare shield: | | No | Dimmable: | Yes | | |
| Product parameters | | | | | | |
| Parameter | | Value | Parameter | Value | | |
| Energy consumption in on- mode (kWh/1000 h), rounded | | General product p | Energy efficiency class | E | | |
| up to the nearest integer Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | | 556 in Nar- row cone (90°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 2 700 | | |
| On-mode power (P _{on}), expressed in W | | 4,5 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,50 | | |
| Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal | | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 90 | | |
| Outer dimen- | Height | 18 | Spectral power dis- | See image | | |
| sions without | Width | 38 | tribution in the | in last page | | |
| separate con- trol gear, light- ing control | | 38 | range 250 nm to 800 nm, at full-load | | | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | | | |
|--|------|--|-------|--|--|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | | | |
| | | Chromaticity coordi- | 0,463 | | | |
| | | nates (x and y) | 0,420 | | | |
| Parameters for directional light sources: | | | | | | |
| Peak luminous intensity (cd) | 309 | Beam angle in degrees, or the range of beam angles that can be set | 90 | | | |
| Parameters for LED and OLED light sources: | | | | | | |
| R9 colour rendering index value | 60 | Survival factor | 0,90 | | | |
| the lumen maintenance factor | 0,98 | | | | | |

(a)'-': not applicable; (b)'-': not applicable; 光谱图Spectrum



Model placed on the Union market from 15/08/2025



EPREL registration number: 2445330 https://eprel.ec.europa.eu/qr/24

45330

Supplier: Tom Dixon Italia SRL (Manufacturer) Website:

Customer care service:

Name: Customer Services TD Website: https://www.tomdixon.net

Email: customerservices@tomdixon.net Phone: 0330 3630 030

Address:

1 Bagley Walk N1C 4PQ LONDON United Kingdom